

PRODUCT INFORMATION



VALVOLINE™ DEX III ATF

Valvoline Dex III ATF is formulated with a blend of high-tech base stocks combined with advanced additive technology to meet the challenging demands of an automatic transmission environment.

Valvoline Dex III ATF is designed to provide better heat resistance, cold flow capabilities and transmission shudder resistance than conventional automatic transmission fluids.

It is recommended for use in automatic transmission for GM & Ford passenger cars and light duty truck transmissions. Dex III ATF is also suitable for use as Power Steering Fluid where Dexron III fluids are recommended.

This product is also suitable for use in powershift transmissions, torque converters Hydrostatic transmissions and applications such as in air compressors, Hydraulic pumps and other types of service where an ATF is recommended.

Valvoline Dex III ATF Advantages:

- **Low Temperature Protection:** Flows easily at low temperature
- **Friction Modified:** Contains additives to protect automatic transmission hardware
- **Cleaner Transmission:** Minimizes sludge and varnish deposits
- **Compatibility:** Protects transmission seal materials
- **Anti-Shudder:** Provides superior anti-shudder performance

PERFORMANCE LEVEL

DEXRON®-IIIH/

Ford MERCON®

Allison C-4

Caterpillar TO-2

Typical properties:

Typical property characteristics are based on current production. Whilst future production will conform to Valvoline™ specifications, variations in these characteristics may occur.

Typical Characteristics

Kinematic Viscosity, cSt @ 40°C	37.14
Kinematic Viscosity, cSt @ 100°C	7.23
Viscosity Index	162
Pour Point, °C, Max.	-51
Flash Point, COC, °C	220

This product is not likely to present any significant health or safety hazards when properly used in the recommended application and good standards of personal hygiene are maintained. Reference is made to the Safety Data Sheet (SDS) which is available on request via your local sales representative or through our website <https://sds.valvoline.com/>

This information only applies to products manufactured in the following location(s): Singapore

Effective date
AUG 2020

Author
AS